



RICE SCHEME

Regular Interlaboratory Counting Exchanges

CLASSIFICATION OF LABORATORY PERFORMANCE

Laboratory No. : **1367**
Period : **13/03/2020** TO **25/06/2021**
Rounds : **114, 115, 116, 117**
Laboratory : **Scientific Services Ltd (Cornwall)**
The Fuel Depot
Scorrier
Redruth
Cornwall
TR16 5UT
UK
Classification : **Category 1 - GOOD**

Notes

- 1 The RICE scheme test proficiency in the use of the optical microscopy method of counting asbestos fibres as described in the Health and Safety Executive publication HSG248
- 2 The classifications will be updated after each subsequent round i.e. at 3 - 4 month intervals
- 3 Laboratories which have completed fewer than four rounds are normally classified as AWAITING CLASSIFICATION.
- 4 On completion of four rounds laboratories are classified with the performance category (CATEGORY 1, CATEGORY 2 or CATEGORY 3). Category 1 represents GOOD performance, Category 2 is ACCEPTABLE (but needs improvement), while Category 3 is UNSATISFACTORY performance.

Melanie Clunas
RICE Scheme Co-Ordinator
Proficiency Testing Team
FTPT F0936 ISSUE 2

HSE, Science & Research Centre
Harpur Hill, Buxton, Derbyshire SK17 9JN - UK
Report No. : 9267 \ 2453